

PUBLICATION LIST (2000-2010)

Conference Presentations

Refereed Abstracts

- (1) Badcock LJ, McCarney R, Lewis M, Frith J, Hay EM, Croft P. Outcome of shoulder region pain in the community. *Rheumatol* 39[Suppl.1], 91. 2000.
Ref Type: Abstract
- (2) Badcock LJ, McCarney R, Lewis M, Hay EM, Croft P. Patterns of family practice consultation in a community based population with chronic unilateral shoulder region pain. *Arthritis & Rheumatism* 43[9 (Suppl.)], S212. 2000.
Ref Type: Abstract
- (3) Chehata JC, Hassell AB, Clarke SA, Matthey DL, Jones MA, Jones PW et al. Mortality in rheumatoid arthritis: predictors of death and relationship to disease activity. *Arthritis & Rheumatism* 43[9 (Suppl)], S183. 2000.
Ref Type: Abstract
- (4) Chehata JC, Hassell AB, Clarke SA, Matthey DL, Jones MA, Jones PW et al. Serial measurement of a validated disease activity index in rheumatoid arthritis is related to survival. *Annals of Rheumatic Disease* 59[Suppl.1], 105. 2000.
Ref Type: Abstract
- (5) Chehata JC, Hassell AB, Clarke SA, Matthey DL, Jones MA, Jones PW et al. Survival in rheumatoid arthritis patients is predicted by the level of disease activity. *Rheumatol* 39[Suppl.1], 37. 2000.
Ref Type: Abstract
- (6) Edwards J, Mulherin D, Ryan S, Jester R. The experience of patients with rheumatoid arthritis admitted to hospital. *Rheumatol* 39, 168. 2000.
Ref Type: Abstract
- (7) Grove ML, Hassell AB, Hay EM, Clarke S, Shadforth MF. Long-term use of second line antirheumatic drugs in a group of 2,170 patients with rheumatoid arthritis attending a single centre: computerised monitoring aids continuity and compliance. *Rheumatol* 39[Suppl.1], 44. 2000.
Ref Type: Abstract
- (8) Haywood KL, Garratt AM, Jordan K, Dziedzic K, Dawes PT. Test-retest reliability of selected outcome measures in ankylosing spondylitis (AS) - a postal survey. *Rheumatol* 39, 71. 2000.
Ref Type: Abstract
- (9) Hutchinson D, Nixon N, O'Leary C, Thompson RN, Moots R, Lynch M et al. Serum levels of immunoglobulin A-a1 proteinase inhibitor complex are not raised in RA cases per se, but are raised as a result of current cigarette smoking. *Annals of Rheumatic Disease* 59[Suppl.1], 99. 2000.
Ref Type: Abstract
- (10) Lewis M, Hay EM, Paterson S, Croft P. Tennis elbow in primary care: does manual work slow recovery? *Rheumatol* 39[Suppl.1], 74. 2000.
Ref Type: Abstract

- (11) Matthey DL, Dawes PT, Gonzalez-Gay MA, Thomson W, Hajeer A, Ollier WER. HLA-DRB1 alleles which encode an aspartic acid residue at position 70 of the third hypervariable region against development of RA. *Annals of Rheumatic Disease* 59[Suppl.1], 116. 2000.
Ref Type: Abstract
- (12) Matthey DL, Cheung NT, Dawes PT, Ollier WER, Hajeer A. Influence of interaction between HLA-DRB1 and TNF microsatellite polymorphisms on the circulating levels of pro-MMP3 in rheumatoid arthritis. *Annals of Rheumatic Disease* 59[Suppl.1], 117. 2000.
Ref Type: Abstract
- (13) Paul A, Hay EM, Shadforth MF, Lewis M, Croft P. Observer reliability study for physical signs used to assess patients with shoulder region pain. *Rheumatol* 39[Suppl.1], 121. 2000.
Ref Type: Abstract
- (14) Ryan S. The role of social support in Rheumatoid Arthritis. *Annals of Rheumatic Disease* S1, 327. 2000.
Ref Type: Abstract
- (15) Stevenson K, Hay EM. A quasi-experimental study to investigate the change in physiotherapy clinical practice and attitudes following an evidence based training package on low back pain. *Rheumatol* 39[Suppl.1], 165. 2000.
Ref Type: Abstract
- (16) Whiteman M, Spencer JPE, Matthey DL, Halliwell B. Mechanisms of peroxynitrite toxicity to cultured synovial fibroblasts: A comparison with hypochlorous acid. *Br J Pharmacol* 129, 181. 2000.
Ref Type: Abstract
- (17) Barber J, Dawes PT. Is Rheumatoid Arthritis (RA) comorbidity simply cardiovascular? *Rheumatol* 40, 20. 2001.
Ref Type: Abstract
- (18) Batta K, Ramlogan R, Hassell AB. Prevention of corticosteroid induced osteoporosis in dermatology patients: result of a patient survey. *British Journal of Dermatology Suppl.* 59 July 2001.[145], 67. 2001.
Ref Type: Abstract
- (19) Chehata JC, Matthey DL, Jones PW, Dawes PT. Predictors of cardiovascular mortality in patients with rheumatoid arthritis. *Arthritis & Rheumatism* 44[Suppl S53]. 2001.
Ref Type: Abstract
- (20) Haywood KL, Garratt AM, Dziedzic K, Dawes PT. Responsiveness of the Patient Generated Index - Ankylosing Spondylitis (PGI-AS). *Rheumatol* 40, 138. 2001.
Ref Type: Abstract
- (21) Haywood KL, Garratt AM, Dziedzic K, Dawes PT. Validity of the Patient Generated Index - Ankylosing Spondylitis (PGI-AS). *Rheumatol* 40, 139. 2001.
Ref Type: Abstract
- (22) Paul A, Hay EM, Shadforth MF, Lewis M, Croft PR. Detecting change in shoulder symptoms with time? *Arthritis & Rheumatism* 44[Suppl.]. 2001.
Ref Type: Abstract

- (23) Paul A, Hay EM, Shadforth MF, Lewis M, Croft PR. Does a general measure of health status reflect the severity of shoulder problems? *Rheumatol* 40[Suppl.1]. 2001.
Ref Type: Abstract
- (24) Peat G, Lawton H, Hay EM, Carpenter G, Cooper V, Dawes PT et al. Clinical history in older adults with knee joint pain: standardised interview questions from general practice and rheumatology perspectives for epidemiological research. *Rheumatol* 40[Suppl.1.], 127. 2001.
Ref Type: Abstract
- (25) Ryan S, et al. Perceptions of control in Rheumatoid Arthritis. *Rheumatol* 28[S63], 93. 2001.
Ref Type: Abstract
- (26) Ryan S, et al. The influence of the medical consultation on control perceptions in RA. *Rheumatol* 40[Suppl.1.], 398. 2001.
Ref Type: Abstract
- (27) Badcock LJ, Lewis M, Hay EM, Croft PR. Consulting behaviour in a population with shoulder pain. *Rheumatol* 41[Suppl. 1. BSR XIXth Annual General Meeting.], 46. 2002.
Ref Type: Abstract
- (28) Barber J, Dawes PT. Pharmaceutical grading for measuring comorbidity in Rheumatoid Arthritis (RA). *Rheumatol* 41[Suppl. 1. BSR XIXth Annual General Meeting.], 69. 2002.
Ref Type: Abstract
- (30) Dawes PT. Development of a musculoskeletal service network - SMASHERS (Stoke Musculoskeletal Appointment Slot Hospital Early Referral System). *Rheumatol EULAR Congress 2002, Stockholm*. 2002.
Ref Type: Abstract
- (31) Dishman M, Ryan S, Hay EM, Hassell AB. Establishing the role of a Community Rheumatology Nurse. *Rheumatol* 41[Suppl 1. BSR XIXth Annual General Meeting.], 80. 2002.
Ref Type: Abstract
- (32) Dowson C, Gogus F, Paul A, Dixey JJ, Haddaway MJ, Davie MWJ et al. Calcaneal ultrasonography in Rheumatoid Arthritis: observation of the effects of corticosteroids. *Rheumatol* 41[Suppl 1. BSR XIXth Annual General Meeting.], 76-77. 2002.
Ref Type: Abstract
- (33) Dziedzic K, Thomas E, Hay EM. A systematic search and critical review of measures of disability for use in a population survey of hand osteoarthritis (OA). *Rheumatol* 41[Suppl. 1. BSR XIXth Annual General Meeting.], 85. 2002.
Ref Type: Abstract
- (34) Hughes R, Hewlett S, Carr A, Mitchell H, Ryan S, Carr M et al. How do patients with rheumatoid arthritis decide that a treatment is working? *Rheumatol* . 2002.
Ref Type: Abstract
- (35) Hughes R, Hewlett S, Carr A, Mitchell H, Ryan S, Carr M et al. Patient priorities for outcomes in rheumatoid arthritis. *Rheumatol* . 2002.
Ref Type: Abstract
- (36) Lewis M, Hay EM, Paterson S, Croft PR. Early pain relief in tennis elbow: a 5-day diary for comparing steroid injection, NSAID and placebo. *Rheumatol* 41[Suppl. 1.], 47-48.

2002.

Ref Type: Abstract

- (37) Matthey D.L, Dawes P.T., Nixon N.B., Banks M.J., Kitas G.D. Increased levels of antibodies to cytokeratin 18 in patients with rheumatoid arthritis and ischaemic heart disease. *Arthritis and Rheumatism* 46 (Suppl);S129. 2002
Ref Type: Abstract
- (38) Matthey D.L., Hassell A.B, Fisher J., Jones P.W., Dawes P.T The mechanical joint score is a powerful predictor of mortality in rheumatoid arthritis. *Arthritis and Rheumatism* 46 (Suppl);S330 . 2002,
Ref Type: Abstract
- (39) Paul A, Shadforth MF, Lewis M, Croft P, van der Windt DAWM., Hay EM. Selection of shoulder questionnaires for use in prospective studies. *Rheumatol* 41[Suppl. 1. BSR XIXth Annual General Meeting.], 46-47. 2002.
Ref Type: Abstract
- (40) Ryan S, Dawes PT, Shadforth MF, Graham C, Edwards N. A nurse-led service for patients with chronic musculo-skeletal pain syndromes. *Rheumatol EULAR Congress 2002, Stockholm*. 2002.
Ref Type: Abstract
- (41) Ryan S, et al. A nurse led service for patients with chronic musculoskeletal pain syndromes. *Annals of Rheumatic Disease* 61[Suppl.1.], 484. 2002.
Ref Type: Abstract
- (42) Ryan S, Hassell AB. Development of a Masters/Postgraduate Diploma in Rheumatology Nursing. *Rheumatol* 41[Suppl. 1. BSR XIXth Annual General Meeting.], 87. 2002.
Ref Type: Abstract
- (43) Ryan S, Dawes PT, Shadforth MF, Graham C, Edwards N. The development of a nurse-led service for patients with chronic musculo-skeletal pain syndromes. *Rheumatol* 41[Suppl. 1. BSR XIXth Annual General Meeting.], 81. 2002.
Ref Type: Abstract
- (44) Thomas E, van der Windt D.A., Dziedzic K, Croft PR, Hay EM. Pragmatic, primary care-based randomised trials for shoulder pain: the issue of external validity. *Rheumatol* 41[Suppl 1. BSR XIXth Annual General Meeting.], 46. 2002.
Ref Type: Abstract
- (45) Vohora K, Mullis R, Dziedzic K, Cooper V, Hay EM. Recruitment in the real world - barriers and aids. *Rheumatol* 41[Suppl 1. BSR XIXth Annual General Meeting.], 88. 2002.
Ref Type: Abstract
- (46) Coady D, Vivekananda-Schmidt P, Walker DJ, Kay LJ, Hassell AB. Can videotaped objective structured clinical examinations (VOSCE) be the answer to assessing educational outcome? *Rheumatol* 42[Suppl.1.], 69. 2003.
Ref Type: Abstract
- (47) Glossop JR, Nixon NB, Dawes PT, Hassell AB, Matthey DL. Association of polymorphism in Exon 1 of the tumor necrosis factor receptor super family 1A gene with haemoglobin levels in patients with rheumatoid arthritis. *Rheumatol* 42[Suppl.1.], 84. 2003.
Ref Type: Abstract

- (48) Glossop J, Nixon N, Dawes P, Hassell A, Matthey D. Association between T-cell production of tumor necrosis factor alpha and the presence of nodular disease in rheumatoid arthritis. *Ann Rheum Dis* 62 (Suppl 1); AB0024. 2003.
Ref Type: Abstract
- (49) Hay EM, Thomas E, Dziedzic K, Croft PR. Long-term follow-up of a pragmatic, primary care-based randomised trials for shoulder pain. *Rheumatol* 42[Suppl 1.], 35-36. 2003.
Ref Type: Abstract
- (50) Hill S, Dziedzic K, Porcheret MEP, Hay EM. The development of a hand survey questionnaire for an assessment of hand problems in older people. *Rheumatol* 42[Suppl.1.], 147. 2003.
Ref Type: Abstract
- (51) Hooper H, Ryan S, Hassell A. The Rheumatology Nurse and patients' coping with rheumatoid arthritis: an interview study. *Rheumatol* 42[Suppl.1.], 155. 2003.
Ref Type: Abstract
- (52) Hughes RA, Hewlett S, Carr AJ, Mitchell H, Ryan S, Carr M et al. Patient priorities for outcomes in rheumatoid arthritis. *Rheumatol* 42[Suppl.1.], 131. 2003.
Ref Type: Abstract
- (53) James M, Stokes EA, Thomas E, Dziedzic K, Hay EM. Cost minimisation analysis of local corticosteroid injection versus physiotherapy for the treatment of new episodes of unilateral shoulder pain in primary care. *Rheumatol* 42[Suppl. 1.], 36-37. 2003.
Ref Type: Abstract
- (54) Kamath S, Hassell AB, Packham JC. A case report. Infective endocarditis masquerading as temporal arteritis. *Eular Congress Abstracts* . 2003.
Ref Type: Abstract
- (55) Kamath S, Dawes PT, Hassell AB, Jones PW, Brownfield A, Fisher J et al. Is there a premorbid personality in patients with rheumatoid arthritis? *Eular Congress Abstracts* [EULAR June 2003 Congress, No. 1973 (New No. AB0085)]. 2003.
Ref Type: Abstract
- (56) Kinder A, Ryan S, Dawes PT, Jorsh M. Clinical Management of an expensive common disease - should we do better? *Rheumatol* 42[Suppl.1.], 117. 2003.
Ref Type: Abstract
- (57) Kinder AJ, Matthey DL, Brownfield A, Dawes PT. Is there a link between microscopic haematuria and IGA levels in rheumatoid arthritis? *Rheumatol* 42[Suppl.1.], 47. 2003.
Ref Type: Abstract
- (58) Paul A, Saklatvala J, McCall I, Lewis M, Shadforth MF, Croft PR et al. Structural cervical spine abnormalities and shoulder region pain: is there an association? *Rheumatol* 42[Suppl. 1.], 36. 2003.
Ref Type: Abstract
- (59) Ryan S, Farrell A, Lewis M, Hassell A. Does the expert rheumatology nurse influence control perceptions in a drug monitor clinic? *Annals of Rheumatic Disease* 62[Suppl.1.], 549. 2003.
Ref Type: Abstract

- (60) Ryan S, Farrell A, Lewis M, Hassell A. Expert nurse-conducted drug monitor clinics for patients with rheumatoid arthritis: added value? *Rheumatol* 42[Suppl.1.], 155. 2003.
Ref Type: Abstract
- (61) Ryan S, Wylie E. Sexual health and arthritis - the perspectives of rheumatology nurses. *Rheumatol* 42[Suppl.1.], 148. 2003.
Ref Type: Abstract
- (62) Shah P, Matthey DL, Dawes PT, Hassell AB, Shadforth MF, Griffiths SM et al. Clinical predictors of adverse drug reactions to Gold and D-Penicillamine in patients with rheumatoid arthritis. *Rheumatol* 42[Suppl.1.], 96. 2003.
Ref Type: Abstract
- (63) Stevenson K, Hay EM, Lewis M. Do opinion leaders exist in clinical practice? *Rheumatol* 42[Suppl.1.], 155. 2003.
Ref Type: Abstract
- (64) Vivekananda-Schmidt P, Coady D, McLean MJ, Kay L, David W, Boggis CRM et al. Learning resource utilisation by medical students in undergraduate musculoskeletal curricula. *Rheumatol* 42[Suppl.1.], 68. 2003.
Ref Type: Abstract
- (65) Vivekananda-Schmidt P, McLean MJ, Hassell AB. Nurse professionals' perception of the usefulness of the computer assisted learning package (CAL), Virtual Rheumatology. *Rheumatol* 42[Suppl.1.], 148. 2003.
Ref Type: Abstract
- (66) Belgamwar RB, Jorsh MS, Marpole A, Snowden H, Mayall E, Packham J et al. Management of Chronic Fatigue Syndrome in multidisciplinary group setting. *Rheumatol* 43[Suppl.2], ii161. 23-4-2004.
Ref Type: Abstract
- (67) Davis M, Tricker C, Roberts C, Dawes P., Hassell A., Knight S et al. Aggressive therapy with conventional disease modifying anti-rheumatic drugs (DMARD) does not prevent disease progression in patients with stable established Rheumatoid Arthritis (RA): Results of a randomised observer-blinded controlled clinical trial. *Rheumatol* 43[Suppl.2], ii44. 21-4-2004.
Ref Type: Abstract
- (68) Dowson CM, Hassell AB. Competence based assessment of Specialist Registrars in Rheumatology: Assessment of outpatient consultation skills. *Rheumatol* 43[Suppl.2], ii17. 21-4-2004.
Ref Type: Abstract
- (69) Glossop JR, Dawes PT, Hassell AB, Matthey DL . Polymorphism in the tumor necrosis factor receptor II gene is associated with soluble receptor levels in rheumatoid arthritis. *Arthritis and Rheumatism* 50 (Suppl) S357. 2004
Ref Type: Abstract
- (70) Hay EM, Mullis R, Lewis M, Vohora K, Main C, Watson P et al. Early physiotherapy management of back pain in primary care: A randomised clinical trial of physical treatments versus a brief pain management programme. *Rheumatol* 43[Suppl.2], ii18. 21-4-2004.
Ref Type: Abstract

- (71) Haywood KL, Garratt AM, Dawes PT. Change in patient-assessed health following physical therapy for Ankylosing Spondylitis (AS): A structured review. *Rheumatol* 43[Suppl.2], ii124. 23-4-2004.
Ref Type: Abstract
- (72) Hewlett S, Carr M, Ryan S, Kirwan J, Richards P, Creamer P et al. Pain is not always the priority - Rheumatoid Arthritis patients value other outcomes. *Rheumatol* 43[Suppl.2], ii14. 21-4-2004.
Ref Type: Abstract
- (73) Hill S, Ong BN, Choi PY, Dziedzic K.S. The impact of hand osteoarthritis on the individual. *Rheumatol* 43[Suppl.2], ii153. 2004.
Ref Type: Abstract
- (74) Kamath S, Dawes PT, Hassell AB, Jones PW, Brownfield A, Fisher J et al. Can we predict development of RA in 'pre-rheumatoid' patients? *Rheumatol* 43[Suppl.2], ii134. 2004.
Ref Type: Abstract
- (75) Kamath S, Hassell AB, Brownfield A, Fisher J, Dawes PT. Rituximab treatment for recalcitrant rheumatoid pleuropericardial disease - Case Report. *Rheumatol* 43[Suppl.2], ii115. 2004.
Ref Type: Abstract
- (76) Kinder AJ, Dawes PT, Clement D, Hollows C. Do patients with Fibromyalgia undergo unnecessary operations? *Rheumatol* 43[Suppl.2], ii72. 21-4-2004.
Ref Type: Abstract
- (77) Lewis M, Mullis R, Hill J, Vohora C, Dziedzic K.S., Hay EM. Issues of generalisability in randomised clinical trials. *Rheumatol* 43[Suppl.2], ii86. 21-4-2004.
Ref Type: Abstract
- (78) Matthey DL, Thomson W, Ollier WER, Koduri G, Young A. Association of the HLA-DRB1 shared epitope with mortality in rheumatoid arthritis. *Arthritis and Rheumatism* 50 [Suppl] S381. 2004.
Ref Type: Abstract
- (79) Matthey DL, Kerr JR, Nixon NB, Dawes PT. Association of polymorphism in the transforming growth factor β 1 gene with disease outcome and mortality in rheumatoid arthritis. *Arthritis and Rheumatism* 50 [Suppl] S355.2004
Ref Type: Abstract
- (80) Glossop JR, Dawes PT, Hassell AB, Matthey DL. Polymorphism in the tumor necrosis factor receptor II gene is associated with soluble receptor levels in rheumatoid arthritis. *Arthritis and Rheumatism* 50 [Suppl] S357. 2004.
Ref Type: Abstract
- (81) Mullis R, Dziedzic K, Lewis M, Cooper V, Main C, Watson P et al. Is video analysis of clinical interventions in treatment trials valuable? Experiences from a low back pain study. *Rheumatol* 43[Suppl.2], ii86. 21-4-2004.
Ref Type: Abstract
- (82) Myers H, Dziedzic K.S., Thomas E, Hay EM, Croft PR. The development of a hand assessment for clinical research: A consensus study using a modified Delphi approach. *Rheumatol* 43[Suppl.2], ii154. 21-4-2004.
Ref Type: Abstract

- (83) Ryan S, Hill J. A survey of practice in nurse led rheumatoid arthritis clinics. *Rheumatol* 43[Suppl.2], ii154. 21-4-2004.
Ref Type: Abstract
- (84) Thomas E, van der Windt DAWM., Smidt N, Dziedzic K, Croft PR, Bouter LM et al. Prognostic indicators of outcome in shoulder pain: Results from an analysis of two pragmatic, primary care-based randomised trials. *Rheumatol* 43[Suppl.2], ii72. 21-4-2004.
Ref Type: Abstract
- (85) Thwaites C, Ryan S, Hassell A. A developing role within Rheumatology Nursing. *Rheumatol* 43[Suppl.2], ii156. 2004.
Ref Type: Abstract
- (86) Belgamwar RB, Jorsh MS, Marpole A, Snowden H, Mayall E, Packham JC, Dawes PT. Management of chronic fatigue syndrome in multidisciplinary group setting. *Rheumatol* 43[Suppl 2], ii434. 2004.
Ref Type: Abstract
- (87) Zeggini E, Packham JC, Donn R, Wordsworth BP, Hall MA, the BPRG study group, Thomson W. Association of HLA-DRB1*13 with Susceptibility to Uveitis in Juvenile Idiopathic Arthritis in Two Independent Cohorts. *Rheumatol* 43[Suppl 1.] ii272. 2004
Ref type: Abstract
- (88) Vivekananda-Schmidt P, Coady D, Lewis M, McLean MJ, Kay L, Walker D et al. Relationship between perceived confidence and actual performance in an objective structured clinical examination of shoulder and knee joint assessment. *Rheumatol* 43[Suppl.2], ii94. 21-4-2004.
Ref Type: Abstract
- (89) Wood LRJ, Peat GM, Wilkie R, Thomas E, Hay EM, Sim J. Inter- and intraobserver variability of a non-instrumented, standardised physical examination in a primary care population of older adults with knee problems. *Rheumatol* 43[Suppl.2], ii83. 21-4-2004.
Ref Type: Abstract
- (91) Wood LRJ, Peat GM, Wilkie R, Thomas E, Hay EM, Sim J. Inter- and intraobserver variability of a non-instrumented, standardised physical examination in a primary care population of older adults with knee problems. *Rheumatol* 43[Suppl.2], ii83. 21-4-2004.
Ref Type: Abstract
- (92) Glossop JR, Dawes PT, Hassell AB, Matthey DL. Association of soluble tumour necrosis factor receptor II levels with mortality in rheumatoid arthritis. *Rheumatol* [Suppl] i11. 2005
Ref Type: Abstract
- (93) Kerr JR, Nixon NB, Matthey DL. An association between the transforming growth factor β 1 +869*T allele and the HLA "shared epitope" in symptomatic acute parvovirus B19 infection but not in rheumatoid arthritis. *J Vet Med Series B* (in press)
Ref Type: Abstract
- (94) Matthey DL, Nixon NB, Hutchinson D. Rheumatoid factor and HLA-DRB1*0401, but not cigarette smoking, are independently associated with antibodies to cyclic citrullinated peptides in rheumatoid arthritis. *Rheumatology* 44[Suppl] i100. 2005
Ref Type: Abstract
- (95) Matthey DL, Thomson W, Ollier WER, Koduri G, Young A. Association of the HLA-DRB1 shared epitope with mortality in rheumatoid arthritis. *Rheumatology* 44[Suppl] i4. 2005

Ref Type: Abstract

- (96) Ryan S, Dawes P., Kirwan M. A retrospective audit of secondary health care utilisation of patients with Fibromyalgia. *Rheumatol* 44[Suppl 1] i375. 2005.
Ref Type: Abstract
- (97) Ryan S, Browne A, Hennell S, et.al. Benchmarking the Nurse Consultant role in Rheumatology. *Rheumatol* 44[Suppl 1] i376. 2005.
Ref Type: Abstract
- (98) Stevenson K, Dawes PT, Packham JC. Experiences of two innovative musculoskeletal multidisciplinary learning events. *Rheumatol* 44[Suppl 1] 2005
Ref Type: Abstract
- (99) Thwaites C, Ryan S, Hassell A., et.al. Peer and patient perspectives of the role of the Nurse Consultant in Rheumatology. *Rheumatol* 44[Suppl 1] i426. 2005.
Ref Type: Abstract
- (100) Glossop JR, Dawes PT, Matthey DL. Cigarette smoking and release of TNF α and its soluble receptors by peripheral blood mononuclear cells in patients with rheumatoid arthritis. *Rheumatol* 45 (Suppl) i31, 2006.
Ref Type: Abstract
- (101) Ghelani, AM, Matthey D, Nixon NB, Gilmour A, Goh L, Jones A, Samanta A, Mastana SS. Association of GSTT1 and GSTM1 gene polymorphism in South Asian and Caucasian rheumatoid arthritis patients of the East Midlands, UK. *Rheumatol* 45 (Suppl) i34, 2006.
Ref Type: Abstract
- (102) Matthey DL, Glossop JR, Nixon NB, Dawes PT. Circulating levels of tumour necrosis factor receptors are associated with cardiovascular disease in RA independent of activity and severity of rheumatoid disease. *Ann Rheum Dis* 65(Suppl II):461, 2006.
Ref Type: Abstract
- (103) Matthey DL, Nixon NB, Dawes PT. Polymorphism in the MMP-1 gene is associated with development of nodular disease in RA independent of rheumatoid factor and HLA-DRB1 gene polymorphism. *Ann Rheum Dis* 65(Suppl II):294, 2006.
Ref Type: Abstract
- (104) Ghelani AM, Gilmour A, Goh L, Samanta A, Jones A, Matthey D, Nixon NB, Mastana SS. Association of glutathione-S-transferase polymorphisms in South Asian and Caucasian rheumatoid arthritis patients of the East Midlands, UK. *Ann Rheum Dis* 65(Suppl II):289, 2006.
Ref Type: Abstract
- (105) Ara RM, Packham J, Haywood K. The direct healthcare resource costs associated with ankylosing spondylitis patients attending a UK secondary care rheumatology unit. *Ann Rheum Dis* 65(Suppl II):273, 2006.
Ref Type: Abstract
- (106) Thwaites C, Ryan S, Hassell A. An exploration into the experiences of rheumatology nurse specialists providing a telephone helpline. *Ann Rheum Dis* 65(Suppl II):667, 2006.
Ref Type: Abstract
- (107) Oliver SM, Thwaites C, Cornell P, Hennell S. Telephone advice lines – frameworks for practice and innovation. *Ann Rheum Dis* 65(Suppl II):671, 2006.
Ref Type: Abstract

- (108) Ostergaard M, Wiell C, Dawes PT, Rigby W, Petersen J, Kastberg H, Sierakowski S. First clinical results of Humax-CD20 fully monoclonal IGG1 antibody treatment in rheumatoid arthritis. *Ann Rheum Dis* 65(Suppl II):58, 2006.
Ref Type: Abstract
- (109) Packham JC, Dawes PT, Hassell AB, Matthey DL. Does depression in rheumatoid arthritis effect the efficacy or side effect profile of anti-TNF therapy. *Rheumatology* 46 (Suppl 1), i38, 2007
Ref Type: Abstract
- (110) Wild N, Karl J, Grunert VP, Schmitt RI, Garczarek U, Krause F, Hasler F, van Riel PLCM, Bayer PM, Thun M, Matthey DL, Sharif M, Zolg W. Biomarker combinations in the diagnosis of rheumatoid arthritis. *Ann Rheum Dis* 66(Suppl):342, 2007
Ref Type: Abstract
- (111) Karl J, Wild N, Grunert VP, Kohlmann M, Garczarek U, Krause F, Hasler F, van Riel PLCM, Bayer PM, Thun M, Matthey DL, Sharif M, Zolg W. Evaluation of marker combinations to predict the progression of RA. *Ann Rheum Dis* 66(Suppl):594, 2007.
Ref Type: Abstract
- (112) Matthey DL, Brownfield A, Packham JC, Dawes PT. Quantitative relationship between pack year history of smoking and response to anti-TNF therapy in patients with rheumatoid arthritis. *Rheumatology* 47 (Suppl):ii14, 2008.
Ref Type: Abstract
- (113) Judah S, Nixon N, Dawes PT, Matthey DL. A history of smoking in patients with early arthritis is associated with a distinct profile of cytokines and matrix metalloproteinases. *Rheumatology* 47 (Suppl):ii62, 2008.
Ref Type: Abstract
- (114). Tanveer W, Hider SL, Brownfield A, Matthey DL, Packham JC. Depression in RA patients treated with anti-TNF is common, poorly managed and may influence anti-TNF effectiveness. *Rheumatology* 47 (Suppl):ii49, 2008.
Ref Type: Abstract
- (115). Packham JC, Dowson CM, Datta P, Saklatvala J, Matthey DL, Kirwan M, Menon A. Rituximab efficacy in active ankylosing spondylitis: A clinical and magnetic resonance imaging pilot study. *Rheumatology* 47 (Suppl):ii6, 2008.
Ref Type: Abstract
- (116) Matthey DL, Nixon NB, Dawes PT. Association of circulating matrix metalloproteinase-8 levels with mortality in rheumatoid arthritis. *Rheumatology* 49 (Suppl 1) i12, 2010
Ref Type: Abstract
- (117). Chen Y, Dawes PT, Matthey DL. A specific MMP1-MMP3 haplotype is associated with high levels of MMP-1 and shows interaction with smoking in relation to erosive disease in rheumatoid arthritis. *Rheumatology* 49 (Suppl 1) i9, 2010
Ref Type: Abstract
- (118) Judah SM, Nixon N, Dawes P, Matthey DL. Biomarker profiles associated with disease features in patients with early RA. *Rheumatology* 49 (Suppl 1) i45, 2010
Ref Type: Abstract