

## **PUBLICATION LIST (2000-2010)**

### **Articles**

#### **1. In peer reviewed journals**

- (1) Birrell FN, Hassell AB, Jones PW, Dawes PT. How does the short form 36 health questionnaire (SF-36) in rheumatoid arthritis (RA) relate to RA outcome measures and SF-36 population values? A cross-sectional study [In Process Citation]. *Clin Rheumatol* 2000; 19(3):195-199.
- (2) Barber J, Dawes PT. Current Management of Rheumatoid Arthritis. *Prescriber* 2000;79-89.
- (3) Cheung NT, Dawes PT, Poulton KV, Ollier WE, Taylor DJ, Matthey DL. High serum levels of pro-matrix metalloproteinase-3 are associated with greater radiographic damage and the presence of the shared epitope in patients with rheumatoid arthritis. *J Rheumatol* 2000; 27(4):882-887.
- (4) Edwards J, Hassell AB. Intra-articular and soft tissue injections by nurses: preparation for expanded practice. *Nursing Standard* 2000; 14(33):43-46.
- (5) Emery P, Breedveld FC, Lemmel EM, Kaltwasser JP, Dawes PT, Gomor B et al. A comparison of the efficacy and safety of leflunomide and methotrexate for the treatment of rheumatoid arthritis. *Rheumatology (Oxford)* 2000; 39(6):655-665.
- (6) Evans E, Dawes PT, Matthey DL. An unusual case of adult varicella-associated arthritis [In Process Citation]. *Rheumatology (Oxford)* 2000; 39(7):806-808.
- (7) Griffith SM, Fisher J, Clarke S, Montgomery B, Jones PW, Saklatvala J et al. Do patients with rheumatoid arthritis established on methotrexate and folic acid 5 mg daily need to continue folic acid supplements long term? *Rheumatology (Oxford)* 2000; 39(10):1102-1109.
- (8) Hajeer AH, Dababneh A, Makki RF, Thomson W, Poulton K, Gonzalez-Gay MA et al. Different gene loci within the HLA-DR and TNF regions are independently associated with susceptibility and severity in Spanish rheumatoid arthritis patients. *Tissue Antigens* 2000; 55(4):319-325.
- (9) Jordan K, Dziedzic K, Jones PW, Ong BN, Dawes PT. The reliability of the three-dimensional FASTRAK measurement system in measuring cervical spine and shoulder range of motion in healthy subjects. *Rheumatology (Oxford)* 2000; 39(4):382-388.
- (10) Kay LJ, Deighton CM, Walker DJ, Hay EM. Undergraduate rheumatology teaching in the UK: a survey of current practice and changes since 1990 [In Process Citation]. *Rheumatology (Oxford)* 2000; 39(7):800-803.
- (11) Matthey DL, Gonzalez-Gay MA, Hajeer AH, Dababneh A, Thomson W, Garcia-Porrua C et al. Association between HLA-DRB1\*15 and secondary Sjogren's syndrome in patients with rheumatoid arthritis [In Process Citation]. *J Rheumatol* 2000; 27(11):2611-2616.
- (12) Matthey DL, Hajeer AH, Dababneh A, Thomson W, Gonzalez-Gay MA, Garcia-Porrua C et al. Association of giant cell arteritis and polymyalgia rheumatica with

- different tumor necrosis factor microsatellite polymorphisms. *Arthritis Rheum* 2000; 43(8):1749-1755.
- (13) Matthey DL, Hassell AB, Dawes PT, Jones PW, Yengi L, Alldersea J et al. Influence of polymorphism in the manganese superoxide dismutase locus on disease outcome in rheumatoid arthritis: evidence for interaction with glutathione S-transferase genes. *Arthritis Rheum* 2000; 43(4):859-864.
  - (14) Matthey DL, Dawes PT, Cheung NT. Serum matrix metalloproteinase 3 as a predictor of joint destruction in rheumatoid arthritis: comment on the article by Yamanaka et al [letter]. *Arthritis Rheum* 2000; 43(11):2614-2615.
  - (15) Ryan S. The DoH Practice Advisory Group: A Forum for Practitioner-Policy-Maker Dialogue. *NT Research* 2000; 5(6):473-474.
  - (16) Salih AM, Nixon NB, Dawes PT, Matthey DL. Antibodies to neuroblastoma cells in rheumatoid arthritis: a potential marker for neuropathy. *Clin Exp Rheumatol* 2000; 18(1):23-30.
  - (17) Amoli MM, Shelley E, Matthey DL, Garcia-Porrúa C, Thomson W, Hajeer AH et al. Lack of association between intercellular adhesion molecule-1 gene polymorphisms and giant cell arteritis. *J Rheumatol* 2001; 28(7):1600-1604.
  - (18) Amoli MM, Matthey DL, Calvino MC, Garcia-Porrúa C, Thomson W, Hajeer AH et al. Polymorphism at codon 469 of the intercellular adhesion molecule-1 locus is associated with protection against severe gastrointestinal complications in Henoch-Schonlein purpura. *J Rheumatol* 2001; 28(5):1014-1018.
  - (19) Basu S, Whiteman M, Matthey DL, Halliwell B. Raised levels of F(2)-isoprostanes and prostaglandin F(2alpha) in different rheumatic diseases. *Ann Rheum Dis* 2001; 60(6):627-631.
  - (20) Chahata JC, Hassell AB, Clarke SA, Matthey DL, Jones MA, Jones PW et al. Mortality in rheumatoid arthritis: relationship to single and composite measures of disease activity. *Rheumatology (Oxford)* 2001; 40(4):447-452.
  - (21) Edwards J, Mulherin D, Ryan S, Jester R. The experience of patients with rheumatoid arthritis admitted to hospital. *Arthritis Rheum* 2001; 45(1):1-7.
  - (22) Grove ML, Hassell AB, Hay EM, Shadforth MF. Adverse reactions to disease-modifying anti-rheumatic drugs in clinical practice. *QJM* 2001; 94(6):309-319.
  - (23) Haywood KL, Garratt AM, Dziedzic K, Dawes PT. Responsiveness of the Patient Generated Index - Ankylosing Spondylitis (PGI-AS). *Rheumatol* 40, 138. 2001. Ref Type: Abstract
  - (24) Jordan K, Dziedzic K, Mullis R, Dawes PT, Jones PW. The development of three-dimensional range of motion measurement systems for clinical practice. *Rheumatology (Oxford)* 2001; 40(10):1081-1084.
  - (25) Kerr JR, Barah F, Matthey DL, Laing I, Hopkins SJ, Hutchinson IV et al. Circulating tumour necrosis factor-alpha and interferon-gamma are detectable during acute and convalescent parvovirus B19 infection and are associated with prolonged and chronic fatigue. *J Gen Virol* 2001; 82((Pt 12)):3011-3019.

- (26) Matthey DL, Gonzalez-Gay MA, Garcia-Porrúa C, Thomson W, Hajeer AH, Ollier WE. Influence of HLA-DRB1 and TNF microsatellite polymorphisms on the expression of extraarticular manifestations in rheumatoid arthritis patients from northwest Spain. *Clin Exp Rheumatol* 2001; 19(6):703-708.
- (27) Matthey DL, Dawes PT, Gonzalez-Gay MA, Garcia-Porrúa C, Thomson W, Hajeer AH et al. HLA-DRB1 alleles encoding an aspartic acid at position 70 protect against development of rheumatoid arthritis. *J Rheumatol* 2001; 28(2):232-239.
- (28) Matthey DL, Hassell AB, Dawes PT, Cheung NT, Poulton KV, Thomson W et al. Independent association of rheumatoid factor and the HLA-DRB1 shared epitope with radiographic outcome in rheumatoid arthritis. *Arthritis Rheum* 2001; 44(7):1529-1533.
- (29) Peat G, Croft P, Hay E. Clinical assessment of the osteoarthritis patient. *Best Pract Res Clin Rheumatol* 2001; 15(4):527-544.
- (30) Price EJ, Hay EM, Isenberg DA, The British Society of Rheumatology Research and Training Committee. Research and training review of the use of LAS, LAT and flexible training positions. *Rheumatology (Oxford)* 2001; 40(12):1413-1415.
- (31) Price EJ, Hay EM, Isenberg DA, The British Society of Rheumatology Research and Training Committee. Research and training review of the use of LAS, LAT and flexible training positions. *Rheumatology (Oxford)* 2001; 40(12):1413-1415.
- (32) Ryan S. Consultant nurses in rheumatology: releasing the potential! *Rheumatology (Oxford)* 2001; 40(12):1325-1327.
- (33) Ryan S. Consultant nurses: pioneers of a new world. *NT Research* 2001; 6(3):645-647.
- (34) Ryan S, Hassell A. Interprofessional research in clinical practice. *Nurse Researcher* 2001; 9(2):17-28.
- (35) Ryan S. Osteoarthritis: symptoms and nursing management. *Nurs Times* 2001; 97(32):34-35.
- (36) Ryan S. The rheumatology community nurse. *Nurs Times* 2001; 97(33):38.
- (37) Amoli MM, Shelley E, Matthey DL, Garcia-Porrúa C, Thomson W, Hajeer AH et al. Intercellular cell adhesion molecule-1 gene polymorphisms in isolated polymyalgia rheumatica. *J Rheumatol* 2002; 29(3):502-504.
- (38) Badcock LJ, Lewis M, Hay EM, McCarney R, Croft PR. Chronic shoulder pain in the community: a syndrome of disability or distress? *Ann Rheum Dis* 2002; 61(2):128-131.
- (39) Barber J, Dawes PT. A rare cause of rash, eosinophilia and asthma in rheumatology. *Rheumatology (Oxford)* 2002; 41(11):1329-1330.
- (40) Barber J, Dawes PT, Hosie G. Rheumatoid Arthritis. *Prescriber* 2002; 13:78-84.
- (41) Chehata JC, Jones PW, Matthey DL, Dawes PT. Mortality in rheumatoid arthritis: Relationship to single and composite measures of disease activity - Reply. *Rheumatology* 41,701A.

- (42) Cooper V, Hassell A. Teaching consultation skills in higher specialist training: experience of a workshop for specialist registrars in rheumatology. *Rheumatology (Oxford)* 2002; 41(10):1168-1171.
- (43) Dawes PT, Elsdon S, Russell GR. Reaching the future. *Mid Med* 2002; 3:97-102.
- (44) Gonzalez-Gay MA, Hajeer AH, Dababneh A, Garcia-Porrúa C, Matthey DL, Amoli MM et al. IL-6 promoter polymorphism at position -174 modulates the phenotypic expression of polymyalgia rheumatica in biopsy-proven giant cell arteritis. *Clin Exp Rheumatol* 2002; 20:179-184.
- (45) Gonzalez-Gay MA, Hajeer AH, Garcia-Porrúa C, Dababneh A, Thomson W, Ollier WE et al. Patients chosen for treatment with cyclosporine because of severe rheumatoid arthritis are more likely to carry HLA-DRB1 shared epitope alleles, and have earlier disease onset. *J Rheumatol* 2002; 29(2):271-275.
- (46) Hassell A., Dacre J. Postgraduate education in rheumatology. *Rheumatology (Oxford)* 2002; 41(9):963-964.
- (47) Hassell AB, (on behalf of the members of the West Midlands Rheumatology Services and Training Committee). Assessment of Specialist Registrars in Rheumatology: Experience of an Objective Structure Clinical Examination (OSCE). *Rheumatology (Oxford)* 2002; 41(11):1323-1328.
- (48) Haywood KL, Garratt AM, Jordan K, Dziedzic K, Dawes PT. Disease-specific patient-assessed measures of health outcome in AS: reliability, validity and responsiveness. *Rheumatology (Oxford)* 2002; 41(11):1295-1302.
- (49) Haywood KL, Garratt AM, Dziedzic K, Dawes PT. Generic measures of health-related quality of life in ankylosing spondylitis: reliability, validity and responsiveness. *Rheumatology (Oxford)* 2002; 41(12):1380-1387.
- (50) Hutchinson D, O'Leary C, Nixon NB, Matthey DL. Serum complexes of immunoglobulin A- $\alpha$ 1 proteinase inhibitor in rheumatoid arthritis: Association with current smoking and disease activity. *Clin Exp Rheumatol* 2002; 20(3):387-391.
- (51) Johnson AH, Hassell AB, Jones PW, Matthey DL, Saklatvala J, Dawes PT. The mechanical joint score: a new clinical index of joint damage in rheumatoid arthritis. *Rheumatology (Oxford)* 2002; 41(2):189-195.
- (52) Kerr JR, Matthey DL, Thomson W, Poulton KV, Ollier WER. Association of symptomatic acute parvovirus B19 infection with HLA class I and class II alleles. *J Infect Dis* 2002; 186(4):447-452.
- (53) Kerr JR, Barah F, Matthey DL, Laing ID, Hopkins SJ, Hutchinson IV et al. Chronic fatigue syndrome (CFS) and arthralgia following parvovirus B19 infection. *J Rheumatol* 2002; 29(3):595-602.
- (54) Lewis M, Hay EM, Paterson SM, Croft P. Effects of manual work on recovery from lateral epicondylitis. *Scand J Work Environ Health* 2002; 28(2):109-116.
- (55) Matthey DL, Dawes PT, Clarke S, Fisher J, Brownfield A, Thomson W et al. Relationship among the HLA-DRB1 shared epitope, smoking, and rheumatoid factor production in rheumatoid arthritis. *Arthritis Rheum* 2002; 47(4):403-407.

- (56) Matthey DL, Hutchinson D, Dawes PT, Nixon NB, Clarke S, Fisher J et al. Smoking and disease severity in rheumatoid arthritis. Association with polymorphism at the glutathione S-transferase (GST) M1 locus. *Arthritis Rheum* 2002; 46(3):640-646.
- (57) Matthey DL, Dawes PT, Fisher J, Brownfield A, Thomson W, Hajeer AH, Ollier WER. Nodular disease in rheumatoid arthritis: Association with cigarette smoking and HLA-DRB1/TNF gene interaction. *Journal of Rheumatology* 2002;29: 2313-18.
- (58) Peat G, Lawton H, Hay E., Greig J, Thomas E. Development of the Knee Standardized Clinical Interview: a research tool for studying the primary care clinical epidemiology of knee problems in older adults. *Rheumatology (Oxford)* 2002; 41(10):1101-1108.
- (59) Radford L. A survey of general practitioners' attitudes on the use and requirements of a bone densitometry service. *Synergy* 2002;(November):18-21.
- (60) Richardson JC, Hassell AB, Hay EM, Thomas E. I'd rather go and know': women's understanding and experience of DEXA scanning for osteoporosis. *Health Expect* 2002; 5(2):114-126.
- (61) Ryan S, Oliver S. Continuing professional development: Rheumatoid arthritis. *Nursing Standard* 2002; 16(2):45-52.
- (62) Smidt N, Assendelft WJJ, van der Windt D.A., Hay EM, Buchbinder R, Bouter LM. Corticosteroid injections for lateral epicondylitis: a systematic review. *Pain* 2002; 96(1-2):23-40.
- (63) Packham JC, Hall MA. Functional outcome in adults with JIA  
*Rheumatology* 2002;41:1428-1435
- (64) Packham JC, Hall MA. Education and employment in adults with JIA  
*Rheumatology* 2002;41:1436-1439
- (65) Packham JC, Hall MA. Social function, relationships and sexual activity in JIA adults  
*Rheumatology* 2002;41:1440-1443
- (66) Packham JC, Hall MA, Pimm J. Predictive factors for mood and pain in adults with JIA  
*Rheumatology* 2002;41:1444-1449
- (67) Packham JC, Hall MA. Premature ovarian failure in adults with JIA  
*Clinical and Experimental Rheumatology* 2003; 21 (3): 347-350
- (68) Badcock LJ, Clarke S, Jones PW, Dawes PT, Matthey DL. Abnormal IgA levels in patients with rheumatoid arthritis. *Ann Rheum Dis* 2003; 62(1):83-84.
- (69) Badcock LJ, Lewis M, Hay EM, Croft PR. Consultation and the outcome of shoulder-neck pain: a cohort study in the population. *J Rheumatol* 2003; 30(12):2694-2699.
- (70) Carr A, Hewlett S, Hughes R, Mitchell H, Ryan S, Carr M et al. Rheumatology Outcomes: The Patient's Perspective. *J Rheumatol* 2003; 30(4):880-883.
- (71) Dickens C, Jackson J, Tomenson B, Hay E., Creed F. Association of depression and rheumatoid arthritis. *Psychosomatics* 2003; 44(3):209-215.

- (72) Glossop JR, Nixon NB, Dawes PT, Hassell AB, Matthey DL. No association of polymorphisms in the tumor necrosis factor receptor I and receptor II genes with disease severity in rheumatoid arthritis. *J Rheumatol* 2003; 30(7):1406-1409.
- (73) Gonzalez-Juanatey C, Testa A, Garcia-Castelo A, Garcia-Porrúa C, Llorca J, Vidan J et al. HLA-DRB1 status affects endothelial function in treated patients with rheumatoid arthritis. *Am J Med* 2003; 114(8):647-652.
- (74) Hay EM, Thomas E, Paterson SM, Dziedzic K, Croft PR. A pragmatic randomised controlled trial of local corticosteroid injection and physiotherapy for the treatment of new episodes of unilateral shoulder pain in primary care. *Ann Rheum Dis* 2003; 62(5):394-399.
- (75) Haywood KL, Garratt AM, Dziedzic K, Dawes PT. Patient centred assessment of Ankylosing Spondylitis-Specific Health-Related Quality of Life: Evaluation of the Patient-Generated Index. *Rheumatol* 2003; 30(4):764-773.
- (76) Kerr JR, McCoy M, Burke B, Matthey DL, Pravica V, Hutchinson IV. Cytokine gene polymorphisms associated with symptomatic parvovirus B19 infection. *J Clin Path* 2003; 56(10):725-727.
- (77) Matthey DL, Dawes PT, Fisher J, Brownfield A, Thomson W, Hajeer AH et al. Nodular disease in rheumatoid arthritis: association with cigarette smoking and HLA-DRB1/TNF gene interaction. *Rheumatol* 2003; 29(11):2313-2318.
- (78) Ryan S, Hassell A., Dawes P., Kendall S. Control perceptions in patients with rheumatoid arthritis: the impact of the medical consultation. *Rheumatology (Oxford)* 2003; 42(1):135-140.
- (79) Ryan S, Hassell A., Dawes P., Kendall S. Perceptions of control in patients with rheumatoid arthritis. *Nurs Times* 2003; 99(13):36-38.
- (80) Thomas E, Richardson JC, Irvine A, Hassell AB, Hay EM. Osteoporosis: what are the implications of DEXA scanning "high risk" women in primary care? *Family Practice* 2003; 20:289-293.
- (81) Hay E., Barlas P, Foster N, Hill J, Thomas E, Young J. Is acupuncture a useful adjunct to physiotherapy for older adults with knee pain?: the "acupuncture, physiotherapy and exercise" (APEX) study [ISRCTN88597683]. *BMC Musculoskelet Disord* 2004; 5(1):31.
- (82) Haywood KL, Garratt AM, Jordan K, Dziedzic K, Dawes PT. Spinal Mobility in Ankylosing Spondylitis: reliability, validity and responsiveness. *Rheumatology (Oxford)* 2004; 43(6):750-757.
- (83) Hooper H, Ryan S, Hassell A. The role of social comparison in coping with rheumatoid arthritis: An interview study. *Musculoskeletal Care* 2004; 2(4):195-206.
- (84) Jordan K, Haywood KL, Dziedzic K, Garratt AM, Jones PW, Ong BN et al. Assessment of the 3-dimensional Fastrak measurement system in measuring range of motion in ankylosing spondylitis. *J Rheumatol* 2004; 31(11):2207-2215.
- (85) Kerr JR, Cunniffe VS, Kelleher P, Coats AJ, Matthey DL. Circulating cytokines and chemokines in acute symptomatic parvovirus B19 infection: negative association

- between levels of pro-inflammatory cytokines and development of B19-associated arthritis. *J Med Virol* 2004; 74(1):147-155.
- (86) Kinder A, Jorsh M, Johnston K, Dawes PT. Somatization disorder--a defensive waste of NHS resources. *Rheumatology (Oxford)* 2004; 43(5):672-674.
- (87) Matthey DL, Nixon NB, Dawes PT, Ollier WE, Hajeer AH. Association of matrix metalloproteinase 3 promoter genotype with disease outcome in rheumatoid arthritis. *Genes Immun* 2004; 5(2):147-149.
- (88) Matthey DL, Dawes PT, Nixon NB, Goh L, Banks MJ, Kitas GD. Increased levels of antibodies to cytokeratin 18 in patients with rheumatoid arthritis and ischaemic heart disease. *Ann Rheum Dis* 2004; 63(4):420-425.
- (89) Oliver S, Ryan S. Effective pain management for patients with arthritis. *Nurs Stand* 2004; 18(50):43-52.
- (90) Paul A, Lewis M, Shadforth MF, Croft PR, van der Windt D.A., Hay EM. A comparison of four shoulder specific questionnaires in primary care. *Ann Rheum Dis* 2004; 63(10):1293-1299.
- (91) Peat G, Thomas E, Handy J, Wood L, Dziedzic K, Myers H et al. The Knee Clinical Assessment Study--CAS(K). A prospective study of knee pain and knee osteoarthritis in the general population. *BMC Musculoskelet Disord* 2004; 5(1):4.
- (92) Richardson JC, Hassell AB, Thomas E, Hay EM. GPs' perceptions of the role of DEXA scanning: an exploratory study. *Family Practice* 2004; 21(1):51-53.
- (93) Shah P, Griffith SM, Shadforth MF, Fisher J, Dawes PT, Poulton KV et al. Can gold therapy be used more safely in rheumatoid arthritis? Adverse drug reactions are more likely in patients with nodular disease, independent of HLA-DR3 status. *J Rheumatol* 2004; 31(10):1903-1905.
- (94) Dawes PT, Packham JC and Mucklow JC TNF Therapy for Spondyloarthropathy – Can We Marshal the Argument? *Rheumatology* 2004;43:1069-1071
- (95) Packham JC. Psychosocial concerns of young adults with juvenile arthritis *Musculoskeletal Care* 2004; 2 (1): 6-16
- (96) Stevenson K, Lewis M, Hay E. Do physiotherapists' attitudes towards evidence-based practice change as a result of an evidence-based educational programme? *J Eval Clin Pract* 2004; 10(2):207-217.
- (97) Thomas E, Croft PR, Paterson SM, Dziedzic K, Hay EM. What influences participants' treatment preference and can it influence outcome? Results from a primary care-based randomised trial for shoulder pain. *Br J Gen Pract* 2004; 54(499):93-96.
- (98) Vivekananda-Schmidt P, Hassell AB, McLean M. The evaluation of multimedia learning packages in the education of health professionals: experience of a musculoskeletal examination package. *Nurse Researcher* 2004; 11(3):43-55.
- (99) Adebajo A, Windsor K, Hassell A., Dacre J. Undergraduate education in rheumatology. *Rheumatology (Oxford)* 2005; 44(9):1202-1203.

- (100) Dzedzic K, Hill J, Lewis M, Sim J, Daniels J, Hay EM. Effectiveness of manual therapy or pulsed shortwave diathermy in addition to advice and exercise for neck disorders: a pragmatic randomized controlled trial in physical therapy clinics. *Arthritis Rheum* 2005; 53(2):214-222.
- (101) Dzedzic K.S., Thomas E, Hay EM. A systematic search and critical review of measures of disability for use in a population survey of hand osteoarthritis (OA). *Osteoarthritis Cartilage* 2005; 13(1):1-12.
- (102) Glossop JR, Dawes PT, Hassell AB, Matthey DL. Anaemia in rheumatoid arthritis. Association with polymorphism in the tumor necrosis factor I and II genes. *J Rheumatol* 2005; 32(9):1673-1678.
- (103) Glossop JR, Dawes PT, Nixon NB, Matthey DL. Polymorphism in the tumour necrosis factor receptor II gene is associated with circulating levels of soluble TNF receptors in rheumatoid arthritis. *Arthritis Res Ther* 2005;7:R1227-34. Epub 2005 Sept 7.
- (104) Harrison MJ, Tricker KJ, Davies L, Hassell A., Dawes P., Scott DL et al. The relationship between area of residence as an indication of social deprivation, disease outcome measures and response to treatment in patients with stable long-standing rheumatoid arthritis. *J Rheumatol*. In press.
- (105) Hay EM, Mullis R, Lewis M, Vohora K, Main CJ, Watson P et al. Comparison of physical treatments versus a brief pain-management programme for back pain in primary care: a randomised clinical trial in physiotherapy practice. *Lancet* 2005; 365(9476):2024-2030.
- (106) Hay EM, Adebajo A. Musculoskeletal general practitioners with special interests: where are we up to? *Rheumatology (Oxford)*. In press.
- (107) Haywood KL, Garratt AM, Dawes PT. Patient-assessed health in ankylosing spondylitis: a structured review. *Rheumatology (Oxford)* 2005; 44(5):577-586.
- (108) Hill J, Foster N, Hughes R, Hay E. Meeting the challenges of research governance. *Rheumatology (Oxford)* 2005; 44(5):571-572.
- (109) Kinder AJ, Hassell AB, Brand J, Brownfield A, Grove M, Shadforth MF. The treatment of inflammatory arthritis with methotrexate in clinical practice: treatment duration and incidence of adverse drug reactions. *Rheumatol* 2005; 44(1):61-66.
- (110) Lewis M, Hay EM, Paterson SM, Croft P. Local steroid injections for tennis elbow: does the pain get worse before it gets better?: Results from a randomized controlled trial. *Clin J Pain* 2005; 21(4):330-334.
- (111) Matthey DL, Nixon N, Dawes PT, Kerr J. Association of polymorphism in the transforming growth factor  $\beta$ 1 gene with disease outcome and mortality in rheumatoid arthritis. *Ann Rheum Dis* 2005; 64(8):1190-1194.
- (112) Matthey DL, Hutchinson D. Smoking and HLA-DR shared epitope alleles in rheumatoid arthritis. *Arthritis Rheum*. 2005;52:3675-3676.
- (113) Roddy E., Zhang W, Doherty M., Arden N.K., Barlow J., Birrell F. et al. Evidence-based recommendations for the role of exercise in the management of osteoarthritis of the hip or knee--the MOVE consensus. *Rheumatology (Oxford)* 2005; 44(1):67-73.

- (114) Ryan S, Wylie E. An exploratory survey of the practice of rheumatology nurses addressing the sexuality of patients with rheumatoid arthritis. *Musculoskeletal Care* 2005; 3(1):44-53.
- (115) Smidt N, Lewis MA, Hay EM, van der Windt D.A., Bouter LM, Croft P. A comparison of two primary care trials on tennis elbow: issues of external validity. *Ann Rheum Dis*. In press.
- (116) Smith J, Fritz EJ, Kerr JR, Cleare AJ, Wessely S, Matthey DL. Association of chronic fatigue syndrome with human leukocyte antigen class II alleles. *J Clin Pathol* 2005;58:860-63.
- (117) Thomas E, van der Windt D., Hay EM, Smidt N, Dziedzic K, Bouter LM et al. Two pragmatic trials of treatment for shoulder disorders in primary care: generalisability, course, and prognostic indicators. *Ann Rheum Dis*. In press.
- (118) Whitehouse A, Hassell A., Wood L, Wall D, Walzman M, Campbell I. Development and reliability testing of TAB a form for 360 degrees assessment of Senior House Officers' professional behaviour, as specified by the General Medical Council. *Medical Teacher* 2005;27(3):252-258.
- (119) Pace AV, Dowson CM, Dawes PT. Self referral symptoms (SOS) follow-up system of appointments for patients with uncertain diagnoses in rheumatology out-patients. *Rheumatology* 2006; 45:201-3.
- (120) Zeggini E, Packham J, Donn R, Wordsworth P, Hall A, Thomson W. Association of HLA-DRB1\*13 with susceptibility to uveitis in juvenile idiopathic arthritis in two independent data sets. *Rheumatology* 2006 (in press)
- (121) Matthey DL, Hutchinson D. Smoking and HLA-DR shared epitope alleles in rheumatoid arthritis. Comment on the article by Padyukov et al. *Arthritis and Rheumatism* 2005;52:3675-3676.
- (122) Matthey DL. No association of smoking with anti-CCP antibodies in RA after adjustment for rheumatoid factor. *Annals of Rheumatic Diseases eLetter* (25 August 2005)
- (123) Glossop JR, Dawes PT, Matthey DL. Association between cigarette smoking and release of tumour necrosis factor alpha and its soluble receptors by peripheral blood mononuclear cells in patients with rheumatoid arthritis. *Rheumatology* 2006;45:1223-9.
- (124) Matthey DL, Thomson W, Ollier W, Batley M, Davies PG, Gough AK, Devlin J, Prouse P, James DW, Williams PL, Dixey J, Winfield J, Cox NL, Koduri G, Young A. Association of DRB1 shared epitope genotypes with early mortality in rheumatoid arthritis. Results of 18 years followup from the Early RA study (ERAS). *Arthritis and Rheumatism* 2007;56:1408-1416.
- (125) Matthey DL, Glossop JR, Nixon NB, Dawes PT. Circulating levels of tumor necrosis factor receptors are highly predictive of mortality in patients with rheumatoid arthritis. *Arthritis and Rheumatism* 2007;56:3940-48.
- (126) Wild N, Karl J, Grunert VP, Schmitt RI, Garczarek UA, Krause F, Hasler F, van Riel PLCM, Bayer PM, Thun M, Matthey DL, Sharif M, Zolg W. Diagnosis of rheumatoid arthritis: Multivariate analysis of biomarkers. *Biomarkers* 2008;13:88-105.

- (127) Kerr JR, Petty R, Burke B, Gough J, Fear D, Sinclair LI, Matthey DL, Richards SCM, Montgomery J, Baldwin DA, Kellam P, Harrison TJ, Griffin GE, Main J, Enlander D, Nutt DJ, Holgate ST. Differentially expressed genes in Chronic Fatigue Syndrome / Myalgic Encephalomyelitis (CFS/ME) patients reveal seven subtypes with distinct clinical phenotypes. *Journal of Infectious Diseases* 2008;197:1171-84.
- (128) Kerr JR, Matthey DL. Pre-existing psychological stress predicts chronic fatigue and arthritis following acute symptomatic parvovirus B19 infection. *Clinical Infectious Diseases* 2008;46:e83-87.
- (129) Kerr JR, Burke B, Petty R, Gough J, Fear D, Matthey DL, et al. Seven genomic subtypes of Chronic Fatigue Syndrome (CFS): a detailed analysis of gene networks and clinical phenotypes. *Journal of Clinical Pathology* 2008; 61:730-9.
- (130) Pratt A, Isaacs J, Matthey DL. Current concepts in the pathogenesis of early rheumatoid arthritis. *Best Practice & Research in Clinical Rheumatology* 2009; 23:37-48
- (131) Matthey DL, Brownfield A, Dawes PT. Relationship between pack year history of smoking and response to tumor necrosis factor antagonists in patients with rheumatoid arthritis. *Journal of Rheumatology* 2009;36:1180-87
- (132) Hider SL, Tanveer W, Brownfield W, Matthey DL, Packham JC. Depression in RA patients treated with anti-TNF is common and under-recognised in the rheumatology clinic. *Rheumatology* 2009;48:1152-54
- (133) Croft L, Bartlett JD, MacLaren DPM, Reilly T, Evans L, Matthey DL, Nixon NB, Drust B and Morton JP. High-intensity interval training attenuates the exercise-induced increase in plasma IL-6 in response to acute exercise. *Applied Physiology, Nutrition and Metabolism* 2009;34:1098-1107.
- (134) Zhang L, Gough J, Christmas D, Matthey D, Richards S, Enlander D, Honeybourne D, Ayres J, Nutt DJ, Kerr J. Microbial infections in eight genomic subtypes of Chronic Fatigue Syndrome / Myalgic Encephalomyelitis (CFS/ME). *J Clin Pathol* 2010;63:156-64.
- (135) Matthey DL, Brownfield A., Dawes PT . Irish smokers with rheumatoid arthritis suffer more than their non smoking counterpart – Reply. *Journal of Rheumatology* 2010;37:1063
- (136) Matthey DL, Dawes PT, Hassell AB, Brownfield A, Packham JC. Impact of psychological distress on continuation of anti-TNF therapy in patients with rheumatoid arthritis. *Journal of Rheumatology* (in press)